Hemodialysis...

 A dialysis process which requires a machine to transport the blood and dialysing fluid on either side of a semi-permeable membrane to effect the removal of toxic metabolites and excess water



Hemodialysis...

 A dialysis process which requires a machine to transport the blood and dialysing fluid on either side of a semi-permeable membrane to effect the removal of toxic metabolites and excess water



Hemodialysis...


 A dialysis process which requires a machine to transport the blood and dialysing fluid on either side of a semi-permeable membrane to effect the removal of toxic metabolites and excess water





Internal AV Fistula

- for chronic dialysis clients
- created surgically by anastomosis of a large artery & a large vein in the arm
- Maturity: veins become engorged due to the flow of arterial blood into the venous system; takes 1-2 wks.
- Maturity is required before the fistula can be used



@ Mayo Foundation for Medical Education and Research. All Aghts reserved.




Access is formed by the surgical insertion of 2 silastic cannulas into an artery or vein in the forearm or leg to form an external blood path.





Internal AV Fistula


- for chronic dialysis clients
- created surgically by anastomosis of a large artery & a large vein in the arm
- Maturity: veins become engorged due to the flow of arterial blood into the venous system; takes 1-2 wks.
- Maturity is required before the fistula can be used



@ Mayo Foundation for Medical Education and Research. All Aghts reserved.


Peritoneal Dialysis

- Peritonealcavity: reservoir for dialysate
- Peritoneum: semipermeablemembrane across which excess body fluid and solutes are removed
- Polyurethane or silicone catheter



Peritoneal Dialysis

- Peritonealcavity: reservoir for dialysate
- Peritoneum: semipermeablemembrane across which excess body fluid and solutes are removed
- Polyurethane or silicone catheter





PERITONEAL DIALYSIS

Calculation of Glucose Absorbed in Peritoneal Dialysis Patients

 60% of daily dialysate glucose load is absorbed

glucose absorbed (kcal) = (1-D/D₀)xi

where D/D₀ is the fraction of glucose remaining and xi is initial glucose

Renal MNT

Treatment	Pre-Stage 5 CKD	Hemodialysis	Peritoneal Dialysis
Protein (gm/kg SBW)	.68	≥1.2 for stable patients	1.2-1.3 for stable patients
	65% HBV	≥ 50% HBV	≥ 50% HBV
Energy (kcal/kg/SBW)	35	30-35	30-35
Phosphorus (mg/kg SBW)	800-1000 (10-12 mg/gm protein)	800-1000 (10-12 mg/gm protein)	800-1000 (10-12 mg/gm protein)
Potassium (mg/d)	Typically unrestricted	2000-3000	3000-4000
Sodium (mg/d)	1000-3000	2000-3000	2000-4000
Fluid (ml/d)	Typically unrestricted	750-1000 + 24 hr urine output	2000



PERITONEAL DIALYSIS

Nutritional Indicators, Target, and Frequency

Indicator	Target	Frequency
Serum Albumin	≥ 4.0 mg/dL	Monthly
Serum Prealburnin	>30 mg/dL	As needed
Serum Cholesterol	> 150-180 mg/dL	As needed
Lipid Profile	LDL: < 100 mg/dL HDL: > 150 mg/dL Triglycerides: < 150 mg/dL	As needed
Serum Creatinine (pre-dialysis treatment)	> 10 mg/dL	Monthly
nPNA (protein equivalent of total nitrogen appearance normalized to body weight)	> 1.0	HD: Monthly PD: Every 4 months

Part (Tro de