


### LIVE VACCINES:


- **\*BCG Vaccines**
- \*Influenza (Inhaled)
- \*Measles
- \*Mumps
- \*Polio (Oral)
- \*Rotavirus (Oral)
- \*Rubella
- \*Varicella (Chickenpox)
- \*Typhoid (Oral)
- **\*Yellow fever**





#### KILLED/ INACTIVATED VACCINES:

- \*Diptheria toxoid
- \*Hepatitis A
- **\*Hepatitis B**
- \* Influenza
- \*Meningitits (ACWY)
- \*Pertussis
- \*Pneumonia
- \*Poliomyelitis (Injectable)
- \*Rabies
- **\*Tetanus toxoid**
- \*Typhoid (Injectable)





#### **Vaccine Name:**

**BCG Vaccine** 


(Bacillus Calmette-Guerin)

#### Indication:

For the prevention of tuberculosis in persons not previously infected with M. tuberculosis who are at high risk for exposure.

#### Storage:









#### Vaccine Name:

Influenza Vaccines.

**Brand Name:** 


Fluarix Quadrivalent, Vaxigrip Tetra

Indication:


For active immunization of adults and children from 6 months of age and older for the prevention of disease caused by influenza A subtype viruses and type B viruses

contained in the vaccine.


#### Storage:













#### Vaccine Name:

Diphtheria and Tetanus Toxoids and Acellular Pertussis Vaccine (DTaP).

#### **Brand Name:**

#### Infanrix.

#### **Indication:**

For active immunization against diphtheria, tetanus, and pertussis as a 5-dose series in infants and children aged 6 weeks through 6 years (prior to the 7th birthday)

Storage: Between 2°C and 8°C.







#### Vaccine Name:

Diphtheria, Tetanus, Pertussis, Poliomyelitis and Haemophilus influenzae type b conjugate vaccine.


#### **Brand Name:**

#### **Infanrix IPV Hib**

#### **Indication:**

For active immunisation against diphtheria, tetanus, pertussis, poliomyelitis and Haemophilus influenzae type b disease from the age of 2 months.

#### Storage:





#### Vaccine Name:

Diphtheria, Tetanus, Pertussis (acellular),

Poliomyelitis (inactivated), Hepatitis b (rDNA) and

Haemophilus Influenzae type b (Hib) vaccine

**Brand Name:** 


**Infanrix Hexa** 

#### Indication:

For primary and booster vaccination of infants and toddlers against diphtheria, tetanus, pertussis, hepatitis B, poliomyelitis and disease caused by Haemophilus influenzae type b.

#### Storage:







#### Vaccine Name:


### Meningococcal Vaccines, All Types. Brand Name:

#### Menactra Indication:

For active immunization to prevent invasive meningococcal disease caused by Neisseria meningitidis serogroups A, C, Y and W-135. Menactra is approved for use in individuals 9 months through 55 years of age. Menactra does not prevent N meningitidis serogroup B disease.

#### Storage:





## Pharma

#### Vaccine Name:

Pneumococcal Vaccines.


#### **Brand Name:**

Pneumovax

#### **Indication:**

For active immunization for the prevention of pneumococcal disease caused by the 23 serotypes contained in the vaccine (1, 2, 3, 4, 5, 6B, 7F, 8, 9N, 9V, 10A, 11A, 12F, 14, 15B, 17F, 18C, 19F, 19A, 20, 22F, 23F, and 33F). PNEUMOVAX 23 is approved for use in persons 50 years of age or older and persons aged 2 years who are at increased risk for pneumococcal disease.

#### Storage:







### Vaccine Name: Pneumococcal Vaccines.

(serotypes 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F & 23F)

#### **Brand Name:**


#### **Prevenar 13**

#### **Indication:**

For the prevention of invasive disease, pneumonia and acute otitis media caused by Streptococcus pneumoniae in infants, children and adolescents from 6 weeks to 17 years of age.

#### **Storage:**







### Vaccine Name: Pneumococcal Vaccines.

(serotypes 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F & 23F)

#### **Brand Name:**


#### **Prevenar 13**

#### **Indication:**

For the prevention of invasive disease, pneumonia and acute otitis media caused by Streptococcus pneumoniae in infants, children and adolescents from 6 weeks to 17 years of age.

#### Storage:







#### **Vaccine Name:**

**Hepatitis A Vaccines** 

**Brand Name:** 

Havrix 1440, Havirix Junior 720.


#### **Indication:**

For active immunization against disease caused by hepatitis A virus (HAV). HAVRIX is approved for use in persons 12 months of age and older. Primary immunization should be administered at least 2 weeks prior to expected exposure to HAV.

#### Storage:











#### Vaccine Name:

### Hepatitis B Vaccines Brand Name:

Engerix B (Adult, Junior)

#### **Indication:**

For immunization against infection caused by all known subtypes of hepatitis B virus.

### Storage: Between 2°C and 8°C.







#### Vaccine Name:


#### Hepatitis A &B Vaccines

#### Brand Name: Twinrix

#### **Indication:**

For active immunization against disease caused by hepatitis A virus and infection by all known subtypes of hepatitis B virus. TWINRIX is approved for use in persons 18 years of age or older.

#### Storage:







#### Vaccine Name:

Measles, Mumps, Rubella and Varicella Virus

Vaccine

**Brand Name:** 

Priorix Tetra, ProQuad.

#### Indication:

For active immunization for the prevention of measles, mumps, rubella, and varicella in children 12 months

through 12 years of age.

**Storage:** 









#### Vaccine Name:

## Measles, Mumps, and Rubella Virus Vaccine Brand Name:

M-M-R-II, Priorix.

#### **Indication:**

For simultaneous vaccination against measles, mumps, and rubella in individuals 12 months of age or older.

Storage:





# Pharma

#### Vaccine Name:

#### Papillomavirus Vaccines

#### Brand Name: Gardasil, Cervarix

#### Indication:

Indicated in girls and women 9 through 26 years of age for the prevention of the following diseases caused by Human Papillomavirus (HPV) types included in the vaccine:

Cervical, vulvar, vaginal, and anal cancer caused by HPV.

Storage: Between 2°C and 8°C.







#### Vaccine Name:

Rabies Vaccines


**Brand Name:** 

RabAvert, Rabipur Indication:

For preexposure vaccination, in both primary series and booster dose, and for postexposure prophylaxis against rabies in all age groups.

Storage:









#### Vaccine Name:

Rotavirus Vaccines.

(Oral, live, attenuated vaccine)
<a href="mailto:Brand Name:">Brand Name:</a>

Rotarix, Rota Teq Indication:

ROTARIX is indicated for the prevention of rotavirus gastroenteritis caused by G1 and non-G1 types (G3, G4, and G9).

RotaTeq is indicated for the prevention of rotavirus gastroenteritis in infants and children caused by types G1, G2, G3, G4, and G9.

Storage: Between 2°C and 8°C.







## Pharma

#### Vaccine Name:

Tetanus Vaccines.

**Brand Name:** 

**Tetavax** 

#### **Indication:**

Tetanus prevention and in particular:


\*Post-exposure tetanus prophylaxis for recent wounds,

\*Primary vaccination,

\*Booster injections.

#### Storage:







#### Vaccine Name:

### Typhoid and Paratyphoid Vaccine Brand Name:


#### Typhim Vi

#### Indication:

Typhim Vi vaccine is indicated for active immunization for the prevention of typhoid fever caused by S typhi and is approved for use in persons two years of age or older.

#### Storage:







#### Vaccine Name:

### Varicella (Chickenpox) Vaccine Brand Name:

Varivax, Varilrix.

#### Indication:

For active immunization for the prevention of varicella in individuals 12 months of age and older.

#### Storage:









#### <u>Vaccine Name :</u> Yellow Fever Vaccines.

#### **Brand Name:**

#### Stamaril

#### Indication:

For active immunization against yellow fever in persons:

- travelling to, passing through or living in an endemic area,
- travelling to any country that requires an International Certificate of Vaccination for entry (which may or may not depend on the previous itinerary),
- handling potentially infectious materials

(e.g. laboratory personnel).

#### Storage:



